

**Crystal Data:** Hexagonal. *Point Group:*  $6mm$ . As tabular crystals to  $100 \mu\text{m}$ .

**Physical Properties:** *Cleavage:* Fair on {001}. *Fracture:* Conchoidal. *Tenacity:* Brittle. Hardness = 8.5-9 VHN = 2107 (50 g load). D(meas.) = n.d. D(calc.) = 3.99

**Optical Properties:** Transparent. *Color:* Dark green to dark gray. *Streak:* White.

*Luster:* Vitreous.

*Optical Class:* Uniaxial (+).  $\omega = 1.402(1)$   $\varepsilon = 1.408(1)$

**Cell Data:** *Space Group:*  $P6_3mc$ .  $a = 5.6978(8)$   $b = 5.6978(8)$   $c = 18.373(4)$   $Z = 2$

**X-ray Powder Pattern:** Xianghualing ore field, Hunan Province, People's Republic of China. 2.43 (100), 2.60 (90), 1.425 (90), 2.86 (80), 1.473 (80), 2.05 (70), 1.595 (70)

<b>Chemistry:</b>	(1)
$\text{SiO}_2$	0.03
$\text{TiO}_2$	0.02
$\text{SnO}_2$	0.61
$\text{Al}_2\text{O}_3$	66.69
$\text{Cr}_2\text{O}_3$	0.02
$\text{FeO}$	16.37
$\text{MgO}$	6.41
$\text{ZnO}$	5.56
$\text{MnO}$	1.97
$\text{CaO}$	0.02
$\text{BaO}$	0.01
<u><math>\text{BeO}</math></u>	[4.09]
Total	101.80

(1) Xianghualing ore field, Hunan Province, People's Republic of China, average of 23 electron microprobe analyses, BeO calculated from stoichiometry; corresponds to  $\text{Be}(\text{Fe}_{1.39}\text{Mg}_{0.97}\text{Zn}_{0.42}\text{Mn}_{0.17}\text{Sn}_{0.03})_{\Sigma=2.98}\text{Al}_{7.99}\text{O}_{16}$ .

**Mineral Group:** Taaffeite group.

**Occurrence:** In a contact metamorphic skarn zone.

**Association:**  $\text{Fe}^{2+}$ -rich magnesiotaaffeite- $2N'2S$ , ferronigerite- $2N1S$ , cassiterite, liberite, pyrite, sphalerite, pyrrhotite, galena, spinel, phlogopite.

**Distribution:** Xianghualing Sn-polymetallic ore field, Linwu County, Hunan Province, People's Republic of China.

**Name:** Identifies a member in the *taaffeite* group with a structure based on spinel ( $S$ ) and nolanite ( $N$ ) modules and with  $\text{Fe}^{2+} > \text{Mg}^{2+}$ .

**Type Material:** Museum of the Institute of Geology and Geophysics, Chinese Academy of Sciences, Beijing, People's Republic of China (KDX017).

**References:** (1) Yang, Z., K. Ding, J. De Fourestier, Q. Mao, and H. Li (2012) Ferrotaaffeite- $2N'2S$ , a new mineral species, and the crystal structure of  $\text{Fe}^{2+}$ -rich magnesiotaaffeite- $2N'2S$  from the Xianghualing tin-polymetallic ore field, Hunan Province, China. *Can. Mineral.*, 50, 21-29. (2) (2014) Amer. Mineral., 99, 1514 (abs. ref. 1).