

**Crystal Data:** Orthorhombic. *Point Group:* *mm*2. As subparallel intergrowths or random sprays of crystals elongated along [001] and flattened on (010) to 0.5 mm.

**Physical Properties:** *Cleavage:* Good on {010}, fair on {100} and {001}. *Tenacity:* Brittle. *Fracture:* Curved. Hardness = ~ 2 D(meas.) = 3.31 D(calc.) = 3.274 Soluble in water.

**Optical Properties:** Transparent. *Color:* Brownish yellow; yellowish beige (aggregates).

*Streak:* White. *Luster:* Vitreous.

*Optical Class:* Biaxial (+).  $\alpha = 1.570$   $\beta = 1.577$   $\gamma = 1.586$   $2V(\text{meas.}) = 82(1)^\circ$

$2V(\text{calc.}) = 83.3^\circ$  *Pleochroism:* Very weak, shades of light brownish yellow.

*Absorption:*  $Y < X \approx Z$ . *Orientation:*  $X = b, Y = a, Z = c$ . *Dispersion:* Very strong,  $r > v$ .

**Cell Data:** *Space Group:* *Pmn*2<sub>1</sub>.  $a = 12.9577(9)$   $b = 8.3183(3)$   $c = 11.2971(5)$   $Z = 4$

**X-ray Powder Pattern:** Jáchymov, Czech Republic.

6.477 (100), 5.110 (58), 3.238 (49), 4.668 (48), 3.428 (41), 4.653 (36), 8.309 (34)

Chemistry:	(1)	(2)	(3)	(1)	(2)	(3)
FeO	9.56	9.02	10.34	SO <sub>3</sub>	26.99	25.39
ZnO	1.06		0.61	UO <sub>3</sub>	47.32	46.62
MgO	0.14	0.48	0.06	H <sub>2</sub> O	[15.39]	[15.80]
MnO	0.10	2.32	0.36	Total	100.56	99.63
						99.97

(1) Giveaway-Simplot mine, Utah, USA; average of 4 electron microprobe analyses supplemented by Raman and IR spectroscopy, H<sub>2</sub>O from structure analysis; corresponds to (Fe<sub>0.79</sub>Zn<sub>0.08</sub>Mg<sub>0.02</sub>Mn<sub>0.01</sub>) $\Sigma=0.90$ (UO<sub>2</sub>)<sub>0.99</sub>(SO<sub>4</sub>)<sub>2.01</sub>·5.10H<sub>2</sub>O. (2) Willi Agatz mine, Saxony, Germany; average of 6 electron microprobe analyses supplemented by Raman and IR spectroscopy, H<sub>2</sub>O from structure analysis; corresponds to (Fe<sub>0.76</sub>Mn<sub>0.20</sub>Mg<sub>0.07</sub>) $\Sigma=1.03$ (UO<sub>2</sub>)<sub>0.98</sub>(SO<sub>4</sub>)<sub>1.91</sub>·5.29H<sub>2</sub>O. (3) Jáchymov, Czech Republic; average of 7 electron microprobe analyses supplemented by Raman and IR spectroscopy, H<sub>2</sub>O from structure; corresponds to (Fe<sub>0.88</sub>Zn<sub>0.05</sub>Mn<sub>0.03</sub>Mg<sub>0.01</sub>) $\Sigma=0.97$ (UO<sub>2</sub>)<sub>1.01</sub>(SO<sub>4</sub>)<sub>2.01</sub>·4.98H<sub>2</sub>O.

**Occurrence:** A result of oxidation in a humid, postmining, underground environment, attacking disseminations of uraninite and pyrite originally deposited as replacements of wood and other organic material in permeable sandstone (Utah); weathering product of U-bearing pyritiferous coal (Germany); on a museum specimen of strongly altered gangue (Czech Republic).

**Association:** Asphaltum, ferricopiapite, gypsum, römerite, shumwayite, halotrichite (Utah); halotrichite, krausite, melanterite, native sulfur, voltaite (Germany); rozenite, shumwayite, and an unnamed Al-uranyl sulfate (Czech Republic).

**Distribution:** Found at the Giveaway-Simplot mine, White Canyon mining district, San Juan Co., Utah, USA, at the Willi Agatz mine, Gittersee mining field, Dresden, Saxony, Germany, and at Jáchymov, Western Bohemia, Czech Republic.

**Name:** Honors Dutch crystallographer Hugo M. Rietveld (1932-2016) the author of the Rietveld method for the refinement of neutron and powder X-ray diffraction data. He was involved in the study of uranium compounds for much of his scientific career.

**Type Material:** Natural History Museum of Los Angeles County, Los Angeles, California, USA (66291, 66292); the TU Bergakademie, Freiberg, Germany (84140); and the National Museum, Prague, Czech Republic (PIN 45564).

**References:** (1) Kampf, A.R., J. Sejkora, T. Witzke, J. Plášil, J. Čejka, B.P. Nash, and J. Marty (2017) Rietveldite, Fe(UO<sub>2</sub>)(SO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>5</sub>, a new uranyl sulfate mineral from Giveaway-Simplot mine (Utah, U.S.A.), Willi Agatz mine (Saxony, Germany) and Jáchymov (Czech Republic). *Journal of Geosciences*, 62(2), 107-120. (2) (2018) *Amer. Mineral.*, 103, 2530 (abs. ref. 1).