

**Crystal Data:** Monoclinic. *Point Group:* 2/m. Steeply pseudo-rhombohedral crystals to 0.2 mm display {110} and {001}. *Twinning:* Ubiquitous by 120° rotations about the pseudohexagonal axis.

**Physical Properties:** *Cleavage:* None. *Fracture:* Uneven. *Tenacity:* Brittle. Hardness = 4  
D(meas.) = >4.2 D(calc.) = 4.648

**Optical Properties:** Transparent to translucent. *Color:* Yellowish green. *Streak:* Light yellow.  
*Luster:* Adamantine.

*Optical Class:* Biaxial (+) [pseudo-uniaxial (+)].  $n(\text{calc.}) = 2.0$   $2V(\text{meas.}) \leq 10^\circ$   
*Orientation:*  $Y = b$ . Straight extinction. *Pleochroism:* Very weak,  $X =$  green to olive-green,  
 $Y =$  green to olive-green,  $Z =$  yellowish green to apple-green. *Absorption:*  $X \approx Y > Z$ .

**Cell Data:** *Space Group:* C2/c.  $a = 25.8898(6)$   $b = 14.8753(2)$   $c = 12.1700(2)$   $\beta = 110.681(1)^\circ$   
 $Z = 16$

**X-ray Powder Pattern:** Kintore opencut, Broken Hill, New South Wales, Australia.  
33.114 (100), 6.034 (45), 2.280 (37), 3.719 (31), 2.844 (25), 2.569 (21), 1.508 (19)

Chemistry:	(1)	(2)
Pb	26.06	26.86
Fe	21.63	21.72
Zn	2.19	2.12
Cu	0.27	
Al	0.11	
As	19.46	19.42
S	0.25	
P	0.03	
O	30.42	29.03
H		0.85
Total	100.42	100.00

(1) Kintore opencut, Broken Hill, New South Wales, Australia; average electron microprobe analysis, H for charge balance; corresponds to Pb<sub>0.94</sub>Zn<sub>0.25</sub>Cu<sub>0.03</sub>(Fe<sub>2.89</sub>Al<sub>0.03</sub>)<sub>Σ=2.92</sub>H<sub>0.76</sub> [(As<sub>1.94</sub>S<sub>0.06</sub>P<sub>0.01</sub>)O<sub>8</sub>](OH)<sub>6</sub>. (2) Pb[Zn<sub>0.25</sub>□<sub>0.75</sub>]Fe<sub>3</sub>(AsO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>.

**Polymorphism & Series:** Solid-solution series between Pb[Zn<sub>0.25</sub>□<sub>0.75</sub>]Fe<sub>3</sub>(AsO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub> and Pb[Zn<sub>0.5</sub>□<sub>0.5</sub>]Fe<sub>3</sub>(AsO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>.

**Mineral Group:** Alunite supergroup.

**Occurrence:** From supergene alteration of primary Pb-Zn ore.

**Association:** Mimetite, segnitite, carminite, bayldonite, cryptomelane.

**Distribution:** From the Kintore opencut, Broken Hill, New South Wales, Australia.

**Name:** Honors Dr. Uwe *Kolitsch* (b. 1966), Curator of Mineralogy, Natural History Museum, Vienna, Austria, for his contributions to mineralogy - in particular the characterization of new minerals, in crystallography, and work on alunite-group minerals.

**Type Material:** Museum Victoria, Melbourne, Victoria, Australia (M41714).

**References:** (1) Mills, S.J., I.E. Grey, W.G. Mumme, R. Miyawaki, S. Matsubara, P. Bordet, W.D. Birch, and M. Raudsepp (2008) Kolitschite, Pb[Zn<sub>0.5</sub>□<sub>0.5</sub>]Fe<sub>3</sub>(AsO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>, a new mineral from the Kintore opencut, Broken Hill, New South Wales. *Australian J. Mineral.*, 14, 63-67.  
(2) Grey, I.E., W.G. Mumme, and P. Bordet (2008) A new crystal-chemical variation of the alunite-type structure in monoclinic PbZn<sub>0.5</sub>Fe<sub>3</sub>(AsO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>. *Can. Mineral.*, 46, 1355-1364.