**Crystal Data**: Cubic. *Point Group*:  $4/m \ \bar{3} \ 2/m$ . As crusts of intergrown equant crystals to 0.05 mm, displaying  $\{111\}$ ,  $\{100\}$  and minor  $\{110\}$ .

**Physical Properties**: Cleavage: None. Fracture: Uneven. Tenacity: Brittle. Hardness = 2-3 D(meas.) = 2.55(1) (value ascribed to analytical error) D(calc.) = 2.351 Dissolves in water.

**Optical Properties**: Translucent. *Color*: Pale yellow to yellow-brown. *Streak*: White.

Luster: Vitreous.

Optical Class: Isotropic. n = 1.60(1)

**Cell Data**: *Space Group*:  $Fd\overline{3}c$ . a = 27.260(2) Z = 16

**X-ray Powder Pattern**: Synthetic  $(NH_4)_2Mg_5Fe^{3+}_3Al(SO_4)_{12}\cdot 18H_2O$ . 5.59 (100), 3.420 (72), 3.562 (66), 1.7836 (25), 1.5582 (25), 6.85 (24), 3.059 (22)

## **Chemistry**:

	(1)	(2)
$SO_3$	47.56	52.52
$Al_2O_3$	3.31	2.79
FeO (total)	16.99	
$Fe_2O_3$	[12.28]	13.09
FeO	[5.94]	
MnO	1.18	
MgO	7.02	11.02
$K_2O$	0.05	
$(NH_4)_2O$	3.11	2.85
$H_2O$	[17.72]	17.73
Total	98.17	100.00

(1) Köves Hill, Pécs-Vasas, Southern Hungary; average of 5 electron microprobe analyses,  $H_2O$  calculated from stoichiometry,  $(NH_4)_2O$  by spectrophotometry, presence of  $H_2O$ ,  $(SO_4)^{2-}$ ,  $(NH_4)^+$  confirmed by IR spectroscopy,  $Fe^{2+}$  and  $Fe^{3+}$  determined assuming  $(Mg+Fe^{2+}+Mn^{2+})/(Fe^{3+}+Al)=5/4$ ; corresponding to  $[(NH_4)_{2.18}K_{0.02}]_{\Sigma=2.20}(Mg_{3.19}Fe^{2+}_{1.51}Mn_{0.30})_{\Sigma=5.00}$   $(Fe^{3+}_{2.81}Al_{1.19})_{\Sigma=4.00}S_{10.87}O_{44.70}\cdot 18H_2O$ . (2)  $(NH_4)_2Mg_5Fe^{3+}_3Al(SO_4)_{12}\cdot 18H_2O$ .

Mineral Group: Voltaite group.

**Occurrence**: As efflorescences formed by chemical reactions as ground water interacts with organic matter from coal and oxidizing pyrite and marcasite on a burning coal dump.

**Association**: Tschermigite, sabieite, kieserite, pickeringite, hexahydrite.

**Distribution**: From near Köves Hill, Pécs-Vasas, Mecsek Mountains, Southern Hungary.

Name: As an analog of *voltaite* with essential ammonium and magnesium in the composition.

**Type Material**: In Hungary at the Herman Ottó Museum, Miskolc, (2008.233) and at the Department of Mineralogy and Petrology, Hungarian Natural History Museum, Budapest (Gyn.1590).

**References**: (1) Szakáll, S., I. Sajó, B. Fehér, and S. Bigi (2012) Ammoniomagnesiovoltaite, a new voltaite-related mineral species from Pécs-Vasas, Hungary. Can. Mineral., 50(1), 65-72. (2) (2014) Amer. Mineral., 99, 2150 (abs. ref. 1).