(c)2001-2005 Mineral Data Publishing, version 1

Crystal Data: Triclinic. *Point Group:* $\overline{1}$. As elongated crystals, tabular on $\{010\}$, with polygonal outline, to 0.5 mm; as crystalline spherulites.

Physical Properties: Cleavage: On $\{010\}$, good. Fracture: Uneven. Tenacity: Brittle. Hardness = n.d. D(meas.) = n.d. D(calc.) = 1.87

Optical Properties: Transparent. Color: Colorless. Streak: White. Luster: Vitreous. Optical Class: Biaxial (-). $\alpha = 1.483(3)$ (α') $\beta = [1.516]$ $\gamma = 1.533(3)$ (γ') $2V(\text{meas.}) = 70(2)^{\circ}$

Cell Data: Space Group: $P\overline{1}$. a = 6.097(1) b = 7.145(1) c = 8.434(1) $\alpha = 76.54(1)^{\circ}$ $\beta = 70.30(1)^{\circ}$ $\gamma = 70.75(1)^{\circ}$ Z = 2

X-ray Powder Pattern: Cerchiara mine, Italy. 5.52 (vs), 2.834 (s), 7.92 (m), 5.26 (m), 4.99 (m), 3.643 (m), 2.758 (m)

Chemistry:

$$\begin{array}{ccc} & (1) & (2) \\ C_2O_3 & [39.54] & 39.54 \\ CaO & 30.03 & 30.79 \\ H_2O & [29.67] & 29.67 \\ \hline Total & [99.24] & 100.00 \\ \end{array}$$

(1) Cerchiara mine, Italy; by electron microprobe, average of five analyses, C_2O_3 and H_2O calculated from the ideal formula; corresponds to $Ca_{0.98}C_{2.01}O_4 \cdot 3.01H_2O$ (2) $CaC_2O_4 \cdot 3H_2O$.

Occurrence: In veinlets cutting metamorphosed Mn–Ba-rich cherts in an obducted ophiolite.

Association: Quartz, barite, manganese oxides.

Distribution: From the Cerchiara mine, near Faggiona, Val di Vara, Liguria, Italy.

Name: An acronym with two meanings, for the essential chemical components, CAlcium and OXalate, or the Centennial Anniversary Of X-rays, an essential analytical tool in modern mineralogy.

Type Material: University of Genoa, Genoa, Italy.

References: (1) Basso, R., G. Lucchetti, L. Zefiro, and A. Palenzona (1997) Caoxite, $Ca(H_2O)_3(C_2O_4)$, a new mineral from the Cerchiara mine, northern Appennines, Italy. Neues Jahrb. Mineral., Monatsh., 84–96. (2) (1998) Amer. Mineral., 83, 185 (abs. ref. 1).