©2001 Mineral Data Publishing, version 1.2

Crystal Data: Monoclinic. *Point Group:* 2/m. As elongated platy and prismatic crystals, to 0.8 mm. *Twinning:* Polysynthetic, common.

Physical Properties: Cleavage: Perfect on $\{110\}$, imperfect on $\{001\}$. Hardness = n.d. D(meas.) = 5.95 D(calc.) = 5.99 Faint green cathodoluminescence.

Optical Properties: Transparent. Color: Colorless. Luster: Vitreous. Optical Class: Biaxial (-). Orientation: $Z = b; X \wedge c = 3^{\circ}-5^{\circ}; Y \wedge a = 7^{\circ}-8^{\circ}$. Dispersion: r < v, strong. $\alpha = 1.723$ $\beta = 1.758$ $\gamma = 1.768$ $2V(meas.) = 58^{\circ}$

Cell Data: Space Group: C2/m. a = 6.840(2) b = 8.916(4) c = 4.745(1) $\beta = 102.11(3)^{\circ}$ Z = 2

X-ray Powder Pattern: Mt. Ploskaya, Russia; nearly identical to keiviite-(Y). 3.24 (10), 3.20 (10), 3.03 (9), 4.64 (8), 2.720 (7), 2.674 (7), 2.262 (7)

Chemistry:

| | (1) | (2) |
|-----------------------------|-------|--------|
| SiO_2 | 23.47 | 26.71 |
| Y_2O_3 | 1.02 | 15.42 |
| $\mathrm{Gd}_2\mathrm{O}_3$ | 0.06 | 0.15 |
| $\mathrm{Tb_2O_3}$ | 0.04 | 0.04 |
| $\mathrm{Dy_2O_3}$ | 1.23 | 3.86 |
| $\mathrm{Ho_2O_3}$ | 0.65 | 1.23 |
| $\mathrm{Er_2O_3}$ | 6.24 | 9.85 |
| $\mathrm{Tm}_2\mathrm{O}_3$ | 3.10 | 3.19 |
| Yb_2O_3 | 55.06 | 34.57 |
| $\mathrm{Lu_2O_3}$ | 8.97 | 5.22 |
| FeO | 0.00 | 0.09 |
| CaO | 0.03 | 0.07 |
| Total | 99.87 | 100.40 |

(1–2) Mt. Ploskaya, Russia; by electron microprobe; when averaged with three other intermediate analyses, corresponds to $(Yb_{1.43}Lu_{0.23}Er_{0.17}Tm_{0.08}Y_{0.05}Dy_{0.03}Ho_{0.02})_{\Sigma=2.01}Si_{1.99}O_7$.

Polymorphism & Series: Forms a series with keiviite-(Y).

Occurrence: In microcline-bearing pegmatites; two generations of the mineral are present.

Association: Fluorite, bastnäsite, hingganite, wulfenite.

Distribution: From Mt. Ploskaya, Keivy massif, Kola Peninsula, Russia.

Name: For Keivy on the Kola Peninsula, Russia, and ytterbium in its composition.

Type Material: Geology Museum, Kola Branch, Academy of Sciences, Apatity, 5769; Mining Institute, St. Petersburg, 1343/1; A.E. Fersman Mineralogical Museum, Academy of Sciences, Moscow, Russia, 82998.

References: (1) Voloshin, A.V., Y.A. Pakhomovskii, and F.N. Tyusheva (1983) Keiviite Yb₂Si₂O₇, a new ytterbium silicate from amazonitic pegmatites of the Kola Peninsula. Mineral. Zhurnal, 5(5), 94–99 (in Russian with English abs.). (2) (1984) Amer. Mineral., 69, 1191 (abs. ref. 1).