(c)2001-2005 Mineral Data Publishing, version 1

Crystal Data: Monoclinic. Point Group: 2/m. As the central parts (to 5 mm) of wodginite crystals, to several cm. Twinning: Polysynthetic, characteristic.

Physical Properties: Fracture: Uneven. Hardness = 5-6 VHN = 1010-1080, 1050 average (40 g load). D(meas.) = 7.5(2) D(calc.) = 7.74(1)

 $\textbf{Optical Properties:} \quad \textbf{Translucent.} \quad \textbf{Color:} \ \textbf{Dark pink to red;} \ \textbf{grayish white in reflected light.}$

Streak: Pale pink. Luster: Adamantine.

Optical Class: Biaxial. Anisotropism: Strong. Bireflectance: Weak.

 R_1-R_2 : (486) 14.1–13.0, (553) 14.0–12.9, (589) 14.3–13.0, (656) 14.0–12.5

Cell Data: Space Group: C2/c. a = 9.441(3) b = 11.516(4) c = 5.062(2) $\beta = 91.06(8)^{\circ}$ Z = [4]

X-ray Powder Pattern: "Eastern Kazakhstan".

2.978 (100), 3.65 (82), 2.940 (59), 2.502 (38), 1.709 (32), 1.724 (24), 1.777 (20)

Chemistry:

	(1)	(2)	(3)
Nb_2O_5	9.33	5.2	
Ta_2O_5	85.06	83.4	97.80
${ m TiO}_2$	0.00		
SnO_2	1.66	4.6	
Fe_2O_3		0.1	
FeO	0.07	0.0	
MnO	2.02	4.6	
${ m Li}_2{ m O}$	1.76	1.21	2.20
Total	99.90	[99.1]	100.00

(1) "Eastern Kazakhstan"; by electron microprobe, average of several analyses; corresponding to $(\text{Li}_{0.76}\text{Mn}_{0.18}\text{Fe}_{0.01})_{\Sigma=0.95}(\text{Ta}_{2.47}\text{Nb}_{0.45}\text{Sn}_{0.07})_{\Sigma=2.99}\text{O}_8$. (2) Tanco pegmatite, Canada; by electron microprobe, original total given as 99.3%; corresponds to $(\text{Li}_{0.53}\text{Mn}_{0.43}\text{Fe}_{0.01}^{3+})_{\Sigma=0.97}(\text{Ta}_{2.49}\text{Nb}_{0.26}\text{Sn}_{0.20}^{4+})_{\Sigma=2.95}\text{O}_8$. (3) LiTa_3O_8 .

Mineral Group: Wodginite group: $Li_A > 0.5$; $Ta_B > 0.5$.

Occurrence: In the albite zone of granite pegmatites.

Association: Wodginite, ixiolite, irtyshite, simpsonite.

Distribution: From the Ognevka and Yubileinoye tantalum deposits, Kalba Mountains, eastern Kazakhstan. In the Tanco pegmatite, Bernic Lake, Manitoba, Canada.

Name: For the dominant LITHium content and relation to wodginite.

Type Material: Mining Institute, St. Petersburg, 2052/1; A.E. Fersman Mineralogical Museum, Academy of Sciences, Moscow, Russia.

References: (1) Voloshin, A.V., Y.A. Pakhomovskii, and A.Y. Bakhchisaraytsev (1990) Lithiowodginite – a new mineral of the wodginite group from the granitic pegmatites of eastern Kazakhstan. Mineral. Zhurnal, 12(1), 94–100 (in Russian with English abs.). (2) (1991) Amer. Mineral., 76, 667 (abs. ref. 1). (3) Ercit, T.S., P. Černý, and F.C. Hawthorne (1992) The wodginite group. III. Classification and new species. Can. Mineral., 30, 633–638. (4) Ercit, T.S., F.C. Hawthorne and P. Černý (1992) The wodginite group. I. Structural crystallography. Can. Mineral., 30, 597–611.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission of Mineral Data Publishing.