

**Crystal Data:** Triclinic. *Point Group:*  $\bar{1}$ . As prismatic, tabular or lamellar crystals, to 0.2 mm.

**Physical Properties:** *Cleavage:* None. *Fracture:* Uneven. *Tenacity:* Brittle.  
Hardness = ~ 3.5 D(meas.) = n.d. D(calc.) = 5.30

**Optical Properties:** Transparent. *Color:* Olive-green to dark olive-green, light yellow-green.  
*Streak:* Light olive-green to light yellow-green. *Luster:* Vitreous to greasy.  
*Optical Class:* Biaxial (+).  $\alpha = 1.84(1)$   $\beta \approx 1.86$   $\gamma = 1.96(1)$   $2V(\text{meas.}) = 50(20)^\circ$   
 $2V(\text{calc.}) = \text{n.d.}$  *Dispersion:* Strong,  $r < v$ . *Pleochroism:* Distinct; Z = olive-green with a grayish hue, Y = n.d., X = green. *Absorption:* X > Z.

**Cell Data:** *Space Group:*  $\bar{P}\bar{1}$ .  $a = 5.1450(3)$   $b = 6.2557(3)$   $c = 6.2766(4)$   $\alpha = 100.064(5)^\circ$   
 $\beta = 96.351(5)^\circ$   $\gamma = 95.100(5)^\circ$   $Z = 1$

**X-ray Powder Pattern:** Arsenatnaya fumarole, Tolbachik volcano, Kamchatka, Russia.  
2.927 (100), 2.968 (90), 2.768 (67), 2.462 (67), 2.513 (55), 3.465 (43), 3.715 (36)

Chemistry:	(1)	(2)
CuO	63.28	63.38
ZnO	0.56	
V <sub>2</sub> O <sub>5</sub>	0.12	
As <sub>2</sub> O <sub>5</sub>	35.80	36.62
SO <sub>3</sub>	0.27	
Total	100.03	100.00

(1) Arsenatnaya fumarole, Tolbachik volcano, Kamchatka, Russia; average of 5 electron microprobe analyses supplemented by Raman spectroscopy; corresponding to  $(\text{Cu}_{4.99}\text{Zn}_{0.04})_{\Sigma=5.03}(\text{As}_{1.95}\text{S}_{0.02}\text{V}_{0.01})_{\Sigma=1.98}\text{O}_{10}$ . (2)  $\text{Cu}_5\text{O}_2(\text{AsO}_4)_2$ .

**Occurrence:** Formed as sublimes on basaltic scoria around an active volcanic fumarole.

**Association:** Ericlaxmanite, kozyrevskite, urusovite, lammerite, lammerite- $\beta$ , johillerite, bradaczekite, tenorite, hematite, aphthalite, anhydrite, langbeinite, calciolangbeinite, As-bearing orthoclase, anhydrite, langbeinite, calciolangbeinite, arcanite, wulfite, krasheninnikovite, steklite, palmierite, tilasite, svabite, alarsite, Cu-gahnite, OH-free fluoborate.

**Distribution:** From the Arsenatnaya fumarole, Second scoria cone of the Northern Breakthrough of the Great Tolbachik Fissure Eruption, Tolbachik volcano, Kamchatka, Russia.

**Name:** Honors the Russian mineralogists Vladimir Anatol'evich Popov (b. 1941) and Valentina Ivanovna Popova (b. 1941), Institute of Mineralogy, Urals Branch, Russian Academy of Sciences, Miass, Chelyabinsk Oblast, Russia.

**Type Material:** A.E. Fersman Mineralogical Museum, Russian Academy of Sciences, Moscow, Russia (94135).

**References:** (1) Pekov, I.V., N.V. Zubkova, V.O. Yapaskurt, D.I. Belakovskiy, M.F. Vigasina, E.G. Sidorov, and D.Yu. Pushcharovsky (2015) New arsenate minerals from the Arsenatnaya fumarole, Tolbachik volcano, Kamchatka, Russia. III. Popovite,  $\text{Cu}_5\text{O}_2(\text{AsO}_4)_2$ . *Mineral. Mag.*, 79(1), 133-143. (2) (2016) Amer. Mineral., 101, 1495 (abs. ref. 1).