

**Crystal Data:** Monoclinic. *Point Group:* 2/m. Crystals acicular along [010] to 2 mm.

**Physical Properties:** *Cleavage:* None. *Fracture:* Irregular. *Tenacity:* Brittle. Hardness = n.d. VHN = ~192 (20 g load). D(meas.) = n.d. D(calc.) = 5.56

**Optical Properties:** Opaque. *Color:* Black, rare reddish internal reflection. *Streak:* n.d. *Luster:* Bluish metallic.

*Optical Class:* Weakly anisotropic and bireflectant. Nonpleochroic.  
R<sub>1</sub>-R<sub>2</sub>: (470) 37.3-19.9, (546) 35.5-19.2, (589) 34.4-18.3, (650) 32.8-16.5

**Cell Data:** *Space Group:* C2/m. *a* = 51.996(8) *b* = 8.148(1) *c* = 24.311(4)  $\beta$  = 104.09(1) $^\circ$  *Z* = 4

**X-ray Powder Pattern:** Buca della Vena mine, southern Apuan Alps, Tuscany, Italy.  
3.472 (100), 2.956 (54), 2.052 (46), 3.041 (35), 2.228 (22), 2.827 (20), 3.441 (18)

Chemistry	(1)
Pb	36.99
Sb	41.80
S	20.39
O	0.65
Total	99.83

(1) Buca della Vena mine, southern Apuan Alps, Tuscany, Italy; average of 10 electron microprobe analyses; corresponds to Pb<sub>15.05</sub>Sb<sub>28.95</sub>S<sub>53.62</sub>O<sub>3.43</sub>.

**Occurrence:** In late-stage hydrothermal calcite veins that cut Ba-Fe ores.

**Association:** Sphalerite, cinnabar, galena, tetrahedrite, chalcostibite, gersdorffite, barite, cerussite, stibiconite.

**Distribution:** From the Buca della Vena mine, near Pietrasanta, southern Apuan Alps, Tuscany, Italy.

**Name:** Honors engineer and mineralogist Dr. Giuseppe Scaini (1906-1988).

**Type Material:** Natural History Museum, University of Pisa, Italy (15521, 15522, and 15523) and the Museum of the School of Mines, Paris, France.

**References:** (1) Orlandi, P., Y. Moëlo, and A. Meerschaut (1999) Lead-antimony sulfosalts from Tuscany (Italy): I. Scainiite, Pb<sub>14</sub>Sb<sub>30</sub>S<sub>54</sub>O<sub>5</sub>, the first Pb-Sb oxy-sulfosalt, from Buca della Vena mine. Eur. J. Mineral., 11, 949-954. (2) (2000) Amer. Mineral., 85, 1323 (abs. ref. 1). (3) Moléo, Y., A. Meerschaut, P. Orlandi, and P. Palvadeau (2000) Lead-antimony sulfosalts from Tuscany (Italy): II - Crystal structure of scainiite, Pb<sub>14</sub>Sb<sub>30</sub>S<sub>54</sub>O<sub>5</sub>, an expanded monoclinic derivative of Ba<sub>12</sub>Bi<sub>24</sub>S<sub>48</sub> hexagonal sub-type (zinkenite group). Eur. J. Mineral., 12(4), 835-846.